

# SAFETY DATA SHEET



Issued Date: June 1, 2015

Revision Date: June 1, 2015

## SECTION I PRODUCT AND COMPANY IDENTIFICATION

### Product Identifiers

Product Name: Bird-X Bird Proof Transparent Repellent Liquid  
EPA Registration No.: 8254-3-56  
Product Code: BP-LIQ-1  
Synonyms: Polybutene  
4 the Birds® BIRD REPELLENT  
Product Type: Liquid  
Identified uses: Repellent

### Details of the Supplier of the Safety Data Sheet

#### Supplier Name:

Bird-X, Inc.

#### Supplier Address

300 N. Oakley Blvd.  
Chicago, IL 60612  
Website: www.bird-x.com  
E-mail: sales@bird-x.com

### Emergency Telephone Numbers

**Company Phone Number:** (312) 226-2473 (During Business Hours, 8:00am - 4:00pm CST)

**Emergency Telephone:** INFOTRAC: 1-800-535-5053 (Outside U.S. 1-352-323-3500)

## SECTION II HAZARDS IDENTIFICATION

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture : SKIN CORRSION/IRRITATION – Category 2  
ASPIRATION HAZARD – Category 1

### GHS label elements

Hazard pictograms



Signal Word : Danger  
Hazard statements : Cause skin irritation.  
May be fatal if swallowed or enters airways.

### Precautionary statements

Prevention : Wear protective gloves. Wash hands thoroughly after handling.  
Response : IF SWALLOWED: Immediately call a POISON CENTER or physician. Do NOT induce vomiting. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing. Wash contaminated clothing before use. If skin irritation occurs: Get medical attention.  
Storage : Store locked up.  
Disposal : Dispose of contents and container in accordance with all local, regional, national and international Regulations.  
Hazards not otherwise Classified : None known.

## SECTION III COMPOSITION ON INGREDIENTS

Substance/mixture : Mixture  
Other means of identification : Polybutene

### CAS number/other identifiers

CAS number : Not applicable  
Product code : 677

Chemical Name	Cas No.	Weight-%
Butene, homopolymer	9003-29-6	30-60

# SAFETY DATA SHEET



Issued Date: June 1, 2015

Revision Date: June 1, 2015

Trade Secret	-	Proprietary
--------------	---	-------------

Any concentration shown as a range is to protect confidentiality or is due to batch variation. There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## SECTION IV FIRST AID MEASURES

### Description of necessary first aid measures

#### Inhalation:

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway.

#### Eye Contact:

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention.

#### Skin Contact:

Flush contaminated skin with plenty of water. Continue to rinse for at least 20 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.

#### Ingestion:

Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway.

### **Most important symptoms and effects, both acute and delayed:**

#### **Potential acute health effects**

<b>Eye Contact</b>	Causes serious eye irritation.
<b>Inhalation</b>	No known significant effects or critical hazards.
<b>Skin Contact</b>	Causes skin irritation
<b>Ingestion</b>	May be fatal if swallowed and enters airways. Irritating to mouth, throat and stomach.

#### **Over-exposure signs/symptoms**

<b>Eye Contact</b>	Adverse symptoms may include the following: Pain or irritation Watering Redness
<b>Inhalation</b>	No known significant effects or critical hazards.
<b>Skin Contact</b>	Adverse symptoms may include the following: Irritation Redness
<b>Ingestion</b>	Adverse symptoms may include the following: Nausea or vomiting

### **Indication of any immediate medical attention and special treatment needed:**

<b>Note to physician</b>	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
<b>Specific treatments</b>	No specific treatment.
<b>Protection of first-aiders</b>	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

# SAFETY DATA SHEET



Issued Date: June 1, 2015

Revision Date: June 1, 2015

See Toxicological information (Section 11)

## SECTION V FIRE-FIGHTING MEASURE

### Extinguishing Media

Suitable extinguishing media	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	No specific fire or explosion hazard.
Hazardous thermal decomposition products	Decomposition products may include the following materials: Carbon dioxide Carbon monoxide Nitrogen oxides
Special protective actions	Eye protection and full bunker gear are required.
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## SECTION VI ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

#### **For non-emergency personnel:**

Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

#### **For emergency responders:**

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

#### **Environmental precautions:**

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and Material for Containment and Cleaning Up

#### **Spill:**

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements, or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## SECTION VII HANDLING AND STORAGE

### Precautions for safe handling

#### **Protective measures:**

Put on appropriate personal protective equipment (see Section 8). Do not swallow. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

#### **Advice on general occupational hygiene:**

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.

#### **Conditions for safe storage, including any incompatibilities:**

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## SECTION VIII EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Occupational exposure limits

None.

# SAFETY DATA SHEET



Issued Date: June 1, 2015

Revision Date: June 1, 2015

**Appropriate Engineering Controls**  
**Environmental exposure controls**

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.  
Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

**Individual protection measures**  
**Personal Protective Equip:**

**Hygiene measures:**

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/Face Protection:**

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

**Skin Protection:**

Chemical resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Body Protection:**

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Other skin protection:**

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory Protection:**

Use a properly fitted, air-purifying or supplied air respirator complying with an approved standard if risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

## SECTION IX PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>		<b>Color:</b>	Milky white
<b>Physical State:</b>	Liquid	<b>Odor:</b>	Petroleum [Slight]
<b>Odor Threshold:</b>	Not available	<b>pH:</b>	Not available
<b>Boiling Point:</b>	100 °C (212 °F)	<b>Melting Pt:</b>	Liquid at ambient temperatures
<b>Flash Point:</b>	Closed cup: >192.22°C (>378°C) [Pensky Martens]	<b>Evap. Rate:</b>	Negligible
<b>Flammability (solid, gas):</b>	Not available	<b>Lower and upper explosive (flammable) limits:</b>	Not available
<b>Vapor Pressure:</b>	0.13 kPa (1 mm Hg)@ 100°F	<b>Vapor Density:</b>	Not available
<b>Relative density:</b>	.89	<b>Solubility</b>	Negligible/Dispersible
<b>Partition Coefficient n-octanol/water:</b>	Not available	<b>Auto-ignition</b>	Not available
<b>Decomp Temp:</b>	Not available	<b>Temp:</b>	
		<b>Viscosity:</b>	Not available

## SECTION X STABILITY AND REACTIVITY

<b>Reactivity:</b>	No specific test data related to reactivity available for this product or its ingredients.
<b>Chemical Stability:</b>	The product is stable.
<b>Conditions to avoid:</b>	No specific data.
<b>Materials to avoid:</b>	No specific data.
<b>Hazardous Decomposition:</b>	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
<b>Possibility of hazardous reactions:</b>	Under normal conditions of storage and use, hazardous reactions will not occur.

## SECTION XI TOXICOLOGICAL INFORMATION

**Information on toxicological effects**  
**Acute toxicity**

# SAFETY DATA SHEET



Issued Date: June 1, 2015

Revision Date: June 1, 2015

Product/ingredient name	Result	Species	Dose	Exposure
Trade Secret	LD50 Oral	Rat	25000 mg/kg	-

## Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Trade Secret	Eyes – Mild irritant	Rabbit	-	100 mg	-
	Skin – Moderate irritant	Human	-	72 hours 15 mg Intermittent	-
	Skin – Mild irritant	Rabbit	-	500 mg	-

**Sensitization:** No data available.

**Carcinogenicity:** No data available.

**Specific Target Organ Toxicity – Single Exposure:** No data available.

**Specific Target Organ Toxicity – Repeated Exposure:** No data available.

**Aspiration Hazard:** May be fatal if enters airways.

Name	Result
Butene, homopolymer	ASPIRATION HAZARD – Category 1

**Information on the likely routes of exposure:** Dermal contact. Eye contact. Ingestion

## Potential acute health effects

**Eye contact:** Causes serious eye irritation

**Inhalation:** No known significant effects or critical hazards

**Skin contact:** Cause skin irritation

**Ingestion:** May be fatal if swallowed and enters airways. Irritating to mouth, throat and stomach.

## Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact:** Adverse symptoms may include the following:

Pain or irritation

Watering

Redness

**Inhalation:** No known significant effects or critical hazards

**Skin contact:** Adverse symptoms may include the following:

Irritation

Redness

**Ingestion:** Adverse symptoms may include the following:

Nausea or vomiting

## Delayed and immediate effects and also chronic effects from short and long term exposure

### Short term exposure

**Potential immediate effects:** No known significant effects or critical hazards.

**Potential delayed effects:** No known significant effects or critical hazards

### Long term exposure

**Potential immediate effects:** No known significant effects or critical hazards

**Potential delayed effects:** No known significant effects or critical hazards

### Potential chronic health effects

**General:** No known significant effects or critical hazards

**Carcinogenicity:** No known significant effects or critical hazards

**Mutagenicity:** No known significant effects or critical hazards

**Teratogenicity:** No known significant effects or critical hazards

**Developmental effects:** No known significant effects or critical hazards

**Fertility effects:** No known significant effects or critical hazards

## Numerical measures of toxicity

# SAFETY DATA SHEET



Issued Date: June 1, 2015

Revision Date: June 1, 2015

## Acute toxicity estimates

No data available.

## SECTION XII ECOLOGICAL INFORMATION

### **Toxicity:**

Product/ingredient name	Result	Species	Exposure
Trade Secret	Acute LC50 205000 µg/L Fresh water	Fish – Pimephales promelas – Juvenile (Fledgling, Hatchling, Weanling)	96 hours

### **Persistence and Degradability:**

No data available.

### **Bioaccumulative potential:**

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
Butene, homopolymer	7.6-7.8	314 to 1882	High
Trade Secret	7.73	-	High

### **Mobility in Soil:**

**Soil/water partition Coefficient (K<sub>oc</sub>):** No data available.

**Other Adverse Effects:** No known significant effects or critical hazards.

## SECTION XIII DISPOSAL CONSIDERATIONS

**Disposal methods:** The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## SECTION XIV TRANSPORT INFORMATION

	DOT Classification	IMDG	IATA
UN Number	Not regulated	Not regulated	Not regulated
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No	No	No
Additional information	-	-	-

**Special Precautions for User:** **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:** Not available.

## SECTION XV REGULATORY INFORMATION

**U.S. Federal regulations:** **TSCA 8(a) CDR Exempt/Partial exemption:** Not determined  
**Commerce control list precursor:** 2,2',2"-Nitrilotriethanol

# SAFETY DATA SHEET



Issued Date: June 1, 2015

Revision Date: June 1, 2015

**Clean Air Act Section 112:**  
**(b) Hazardous Air Pollutants (HAPs)** **United States inventory (TSCA 8b):** All components are listed or exempted.  
Not listed

**Clean Air Act Section 602:**  
**Class I Substances** Not listed

**Clean Air Act Section 602:**  
**Class II Substances** Not listed

**DEA List I Chemicals:**  
**(Precursor chemicals)** Not listed

**DEA List II Chemicals:**  
**(Essential Chemicals)** Not listed

**SARA 302/304**  
**Composition/information on ingredients**  
No products were found.

**SARA 304 RQ:** Not applicable

**SARA 311/312**  
**Classification:** Immediate (acute) health hazard

**Composition/information on ingredients**

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
Butene, homopolymer	30 – 60	No	No	No	Yes	No
Trade Secret	Proprietary	No	No	No	Yes	No

**State regulations**

**Massachusetts:** The following components are listed: 2,2',2"-Nitrilotriethanol  
**New York:** None of the components are listed.  
**New Jersey:** The following components are listed: 2,2',2"-Nitrilotriethanol  
**Pennsylvania:** The following components are listed: Trade Secret; 2,2',2"-Nitrilotriethanol

**California Prop. 65**  
No products were found

**International regulations**  
**Chemical Weapon Convention List Schedules I, II & III Chemicals**

Ingredient name	List name	Status
Triethanolamine	Schedule III	Listed

**Montreal Protocol (Annexes A,B,C,E)**  
Not listed

**Stockholm Convention on Persistent Organic Pollutants**  
Not listed

**Rotterdam Convention on Prior Inform Consent (PIC)**  
Not listed

**UNECE Aarhus Protocol on POPs and Heavy Metals**  
Not listed

**SECTION XVI OTHER INFORMATION**

**Key to Abbreviations:** ATE = Acute Toxicity Estimate  
BCF = Bioconcentration Factor  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals

# SAFETY DATA SHEET



Issued Date: June 1, 2015

Revision Date: June 1, 2015

IATA = International Air Transport Association  
IBC = Intermediate Bulk Container  
IMDG = International Maritime Dangerous Goods  
LogPow = Logarithm of the octanol/water partition coefficient  
MARPOL 73/78 = International Convention of the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978. ("MARPOL" = marine pollution)  
UN = United Nations

**Disclaimer:**

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

**SDS Preparation Date: June 1, 2015**